

P24949.A20

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s) : Kenji ASAKURA et al.

**Certificate of Corrections Branch**

Patent No. : 7,079,800

Issued: July 18, 2006

Appl. No. : 10/779,615

Filed: February 18, 2004

For : IMAGE HEATING DEVICE

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
U.S. Patent and Trademark Office  
Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent, which are the fault of the U.S. Patent and Trademark Office, as per the attached Certificate of Correction. Since these errors are the fault of the USPTO, no fee is due.

On the cover of the printed patent, at Item (57), Abstract, "An image heating device according to an embodiment of the present invention includes a heat generator that has an outer surface and that generates heat by induction heating and a heater positioned close to the outer surface of the heat generator, the heater being configured to heat the heat generator by induction heating. A positioner is located close to an end of the heater, the positioner being configured to position the heater with respect to the heat generator. A vibration absorber is attached to the

{P24949 00046561.DOC}

P24949.A20

positioner and is configured, in one embodiment, to viscoelastically absorb vibration of the heater produced by a vibration caused by an electromagnetic repulsive force acting between the heat generator and the heater when the heater heats the heat generator by induction heating.” should be as follows:

---An image heating device has a configuration capable of reliably positioning a member to be heated and an excitation coil and of reliably preventing vibration transmission from the exciting coil to the member to be heated. The image heating device provides an exciting unit outside a heat generator provided with a heat generating belt which is a heating object, provides a positioner at an end of the exciting unit and provides a shock absorber between the positioner and a bearing so that the distance between the exciting unit and the heat generator is maintained at a predetermined distance.---

This appeared correctly on page 2, lines 4-11 of the Response Under 37 C.F.R. 1.111 filed January 17, 2006.

At column 12, line 39 (claim 2, line 6) of the printed patent, after “heater” insert --- , ---. This appeared correctly on page 5, line 6 of the Response Under 37 C.F.R. 1.111 filed January 17, 2006.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

On the cover of the printed patent, at Item (57), Abstract, “An image heating device according to an embodiment of the present invention includes a heat generator that has an outer surface and that generates heat by induction heating and a heater positioned close to the outer

P24949.A20

surface of the heat generator, the heater being configured to heat the heat generator by induction heating. A positioner is located close to an end of the heater, the positioner being configured to position the heater with respect to the heat generator. A vibration absorber is attached to the positioner and is configured, in one embodiment, to viscoelastically absorb vibration of the heater produced by a vibration caused by an electromagnetic repulsive force acting between the heat generator and the heater when the heater heats the heat generator by induction heating.” should be as follows:


---An image heating device has a configuration capable of reliably positioning a member to be heated and an excitation coil and of reliably preventing vibration transmission from the exciting coil to the member to be heated. The image heating device provides an exciting unit outside a heat generator provided with a heat generating belt which is a heating object, provides a positioner at an end of the exciting unit and provides a shock absorber between the positioner and a bearing so that the distance between the exciting unit and the heat generator is maintained at a predetermined distance.---

At column 12, line 39 (claim 2, line 6) of the printed patent, after “heater” insert --- , ---.

P24949.A20

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted,  
Kenji ASAKURA et al.

A handwritten signature in black ink, appearing to read "William Pieprz", is written over the typed name "Bruce H. Bernstein".

Bruce H. Bernstein  
Reg. No. 29,027

William Pieprz  
Reg. No. 33630

October 26, 2006  
GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,079,800  
APPLICATION NO.: 10/779,615  
ISSUE DATE : July 18, 2006  
INVENTOR(S) : Kenji ASAKURA et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover of the printed patent, at Item (57), Abstract, "An image heating device according to an embodiment of the present invention includes a heat generator that has an outer surface and that generates heat by induction heating and a heater positioned close to the outer surface of the heat generator, the heater being configured to heat the heat generator by induction heating. A positioner is located close to an end of the heater, the positioner being configured to position the heater with respect to the heat generator. A vibration absorber is attached to the positioner and is configured, in one embodiment, to viscoelastically absorb vibration of the heater produced by a vibration caused by an electromagnetic repulsive force acting between the heat generator and the heater when the heater heats the heat generator by induction heating." should be as follows:

---An image heating device has a configuration capable of reliably positioning a member to be heated and an excitation coil and of reliably preventing vibration transmission from the exciting coil to the member to be heated. The image heating device provides an exciting unit outside a heat generator provided with a heat generating belt which is a heating object, provides a positioner at an end of the exciting unit and provides a shock absorber between the positioner and a bearing so that the distance between the exciting unit and the heat generator is maintained at a predetermined distance.---

At column 12, line 39 (claim 2, line 6) of the printed patent, after "heater" insert --- , ---.

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,079,800  
APPLICATION NO.: 10/779,615  
ISSUE DATE : July 18, 2006  
INVENTOR(S) : Kenji ASAKURA et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover of the printed patent, at Item (57), Abstract, "An image heating device according to an embodiment of the present invention includes a heat generator that has an outer surface and that generates heat by induction heating and a heater positioned close to the outer surface of the heat generator, the heater being configured to heat the heat generator by induction heating. A positioner is located close to an end of the heater, the positioner being configured to position the heater with respect to the heat generator. A vibration absorber is attached to the positioner and is configured, in one embodiment, to viscoelastically absorb vibration of the heater produced by a vibration caused by an electromagnetic repulsive force acting between the heat generator and the heater when the heater heats the heat generator by induction heating." should be as follows:

---An image heating device has a configuration capable of reliably positioning a member to be heated and an excitation coil and of reliably preventing vibration transmission from the exciting coil to the member to be heated. The image heating device provides an exciting unit outside a heat generator provided with a heat generating belt which is a heating object, provides a positioner at an end of the exciting unit and provides a shock absorber between the positioner and a bearing so that the distance between the exciting unit and the heat generator is maintained at a predetermined distance.---

At column 12, line 39 (claim 2, line 6) of the printed patent, after "heater" insert --- , ---.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*